



## Healthy relationships data for Ohio

### Bullying among high school students (grades 9-12), 2009<sup>HR1</sup>

Percent of high school students who:	Ohio	United States
Were bullied on school property (during the 12 months before the survey)		
Total	N/A%	20%
Male	N/A%	19%
Female	N/A%	21%

### Violence among high school students (grades 9-12), 2009<sup>HR1</sup>

Percent of high school students who:	Ohio	United States
Carried a weapon on at least one day (during the 30 days before the survey)		
Total	N/A%	17%
Male	N/A%	27%
Female	N/A%	7%
Carried a gun on at least one day (during the 30 days before the survey)		
Total	N/A%	6%
Male	N/A%	10%
Female	N/A%	2%
Were in a physical fight one or more times (during the 12 months before the survey)		
Total	N/A%	31%
Male	N/A%	39%
Female	N/A%	23%
Were injured in a physical fight one or more times (during the 12 months before the survey)		
Total	N/A%	4%
Male	N/A%	5%
Female	N/A%	2%

**Violence at school among high school students (grades 9-12), 2009<sup>HR1</sup>**

Percent of high school students who:	Ohio	United States
Carried a weapon on school property on at least one day (during the 30 days before the survey)		
Total	N/A%	6%
Male	N/A%	8%
Female	N/A%	3%
Did not go to school because they felt unsafe at school or on their way to or from school, on at least one day (during the 30 days before the survey)		
Total	N/A%	5%
Male	N/A%	5%
Female	N/A%	5%
Were threatened or injured with a weapon on school property one or more times (during the 12 months before the survey)		
Total	N/A%	8%
Male	N/A%	10%
Female	N/A%	5%
Were in a physical fight on school property one or more times (during the 12 months before the survey)		
Total	N/A%	11%
Male	N/A%	15%
Female	N/A%	7%

**Sexual relationships among high school students (grades 9-12), 2009<sup>HR1</sup>**

Percent of high school students who:	Ohio	United States
Have ever had sexual intercourse		
Total	N/A%	46%
Male	N/A%	46%
Female	N/A%	46%



**Dating violence among high school students (grades 9-12), 2009<sup>HR1</sup>**

Percent of high school students who:	Ohio	United States
Were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend (during the 12 months before the survey)		
Total	N/A%	10%
Male	N/A%	10%
Female	N/A%	9%
Were ever physically forced to have sexual intercourse (when they did not want to)		
Total	N/A%	7%
Male	N/A%	5%
Female	N/A%	10%

**Supportive neighborhoods, ages 12-17, 2005-2006<sup>HR2</sup>**

Percent of adolescents ages 12-17 who:	Ohio	United States
Live in a supportive neighborhood, <sup>A</sup> according to parent		
Total	84%	85%

<sup>A</sup>Supportive neighborhood information is reported by parents and is based on the statements: people in my neighborhood help each other out; we watch out for each other's children in this neighborhood; there are people I can count on in this neighborhood; if my child were outside playing and got hurt or scared, there are adults nearby who I trust to help my child. Parents were asked whether they strongly agree, somewhat agree, somewhat disagree, or strongly disagree with each statement. Choosing a "disagree" option on more than one statement removes someone from living in a supportive neighborhood.

**Positive social skills, ages 12-17, 2005-2006<sup>HR2</sup>**

Percent of adolescents ages 12-17 who:	Ohio	United States
Consistently exhibit positive social skills, <sup>+</sup> according to parent		
Total	91%	93%

<sup>+</sup>Positive social skills is a composite measure of four positive social skills. Positive social skills are reported by parents and include respect for teachers and neighbors; getting along well with other children; trying to understand other people's feelings; and trying to resolve conflicts with classmates, family, or friends.

**Data notes and data sources**

Data from the National Survey on Drug Use and Health and the National Survey of Children's Health have been rounded to the nearest whole number.  
N/A: data does not exist on this measure for this state.

<sup>HR1</sup> **High school data are from:** Centers for Disease Control and Prevention. (2010). *Youth Risk Behavior Surveillance- United States, 2009*. Surveillance summaries: MMWR 2010; 59 (No. SS-5). Retrieved June 22<sup>nd</sup>, 2011, from <http://www.cdc.gov/mmwr/pdf/ss/ss5905.pdf>

<sup>HR2</sup> **Supportive neighborhoods and positive social skill data are from:** Child and Adolescent Health Measurement Initiative; The Data Resource Center for Child and Adolescent Health. (2007). *National Survey of Children's Health*. Portland, OR: Child and Adolescent Health Measurement Initiative; The Data Resource Center for Child and Adolescent Health. Retrieved August 10, 2011, from [www.nschdata.org](http://www.nschdata.org)

